



PROFESSIONAL & EFFICIENT, CUSTOMER FOCUS, WIN-WIN COOPERATION

专业高效、客户至上、合作共赢



专业钻井设备及配件供应商

ONE PROFESSIONAL DRILLING EQUIPMENT & PARTS SUPPLIER.

山东彼岸石油装备有限公司

地址:山东省青州市范公亭东路海岱财富广场9层, 邮编:262500;

手机: +86-13475681371 (微信) 电话/传真: +86-536-7453856

电子邮件: sales@sdbeyondpetro.com 网址: www.sdbeyondpetro.com

SHANDONG BEYOND PETROLEUM EQUIPMENT CO., LTD

Add: Floor 9, Haidai Fortune Plaza, East Fangongting Road, Qingzhou City, Shandong Province, China, P.C. 262500;

Mobile: +86-134 7568 1371 (whatsapp) Tel/Fax: +86-536-7453856

Email: sales@sdbeyondpetro.com Http: //www.sdbeyondpetro.com



BEYOND官网
BEYOND's Official Web

山东彼岸石油装备有限公司

SHANDONG BEYOND PETROLEUM EQUIPMENT CO., LTD.

彼岸企业文化 BEYOND CULTURE

- 愿景** 成为石油钻井设备外贸出口领域的第一**品牌**
- 使命** 成为客户最信赖的合作伙伴，与客户**共同成长**
- 价值观** **诚信 团结 积极 分享**
专业 高效 合作 共赢
- 经营理念** 脚踏实地、专注**专业**、目标集聚、品质第一、坚持**诚信**
- 服务理念** 以客户为中心，**超越**客户满意

Vision: To be the Top-One Brand in China for Oil Drilling Equipment Export

Mission: To be the most trustworthy partner with clients and grow together with them

Values: Honesty & Unity, Active & Share; Professional & Efficient, Win-win Cooperation

Operation Principle: Decent & Realistic, Field-Dedicated, Strategy-Focused, Quality-Priority, Honesty-Persistent

Service Philosophy: Customer-Focus and Beyond Customer Satisfaction.



彼岸石油

目 录 Content

- 1** 关于彼岸
About BEYOND

- 3** 钻机
Drilling Rigs

- 8** 钻机配套
Drilling Rig Accessories

- 9** 往复泵及配件
Reciprocating Pump & Spares

- 19** 固控设备及配件
Solid Control Equipment & Spares

- 21** 井口工具
Wellhead Tools

- 22** 井控设备
Well Control Equipment

- 23** 钻具
Drilling Tools

- 25** 商务会晤
Business Meeting

- 27** 彼岸产品销售网络
BEYOND Products Sales Network

- 29** 彼岸产品应用案例
BEYOND Products Application Cases



彼岸石油成立于2016年，为ISO9001国际质量体系认证企业。其主营业务为向石油、水井、水平定向钻等不同钻井领域的海外客户提供各类钻井设备及配件，包括石油钻修机、水井钻机、水平定向钻机、泥浆泵及配件、固控系统及设备。

通过不断完善其供应链体系，严格的质量控制和专业高效的客户服务，彼岸石油一直致力于为客户提供长期合作价值。我们可以根据客户的现场工况为客户定制产品方案，并提供强大的技术支持和海外售后服务。专业服务，优质产品，快速交货，外加有竞争力的价格，彼岸石油已在众多市场建立起了良好的声誉。公司产品已覆盖美国、委内瑞拉、阿根廷、印度、哈萨克斯坦、乌兹别克斯坦、阿塞拜疆、罗马尼亚、埃及等30多个国家和地区。

秉承“专业高效、客户至上、合作共赢”的经营理念，我们坚信彼岸石油可以成为您在中国可信赖的合作伙伴。热忱期待与您的合作，共创美好未来。选择彼岸，超越期望，不负所望！

About BEYOND

- ※ 12+ years of career experience in drilling equipment supply;
- ※ 15+ employees for export business;
- ※ 30+ cooperating countries & Region ;
- ※ 40+ clients with close cooperation;
- ※ 150+ cooperating factory as supplier;
- ※ ISO9001:2015 Certified & Self-owned Brand;
- ※ One-stop drilling equipment supply;
- ※ Covering different sectors like petroleum, water well & HDD;
- ※ Strategic partnership & Exclusive Overseas Distributor for some key product.

**PROFESSIONAL & EFFICIENT,
CUSTOMER FOCUS,
WIN-WIN COOPERATION**



ABOUT
BEYOND
关于
彼岸



钻机 Drilling Rigs

我们可提供一系列陆地钻机产品：撬装钻机，车载钻机及拖车钻机。撬装钻机包括交流变频钻机，直流电驱动钻机，机电复合驱动钻机，机械钻机(皮带或链条传动)，功率范围为450HP -3000HP (额定钻深：1500-9000米)。车载钻机功率范围为550HP -1,000HP (额定钻深：1500-4000米)。

We supply a full line of land drilling rigs: skid-mounted, truck-mounted and trailer-mounted. Our skid-mounted drilling rigs include AC/VFD or DC/SCR drive rigs, mechanical-electric combined drive rigs, and mechanical rigs (Belt or Chain transmission), power ranging from 450HP to 3,000HP (Rated Drilling depth: 1,500-9,000m). Our truck-mounted drilling rigs range from 550HP to 1,000 HP (rated drilling depth: 1500-4000m).

询价须知

钻机类型：撬装、车载还是拖挂？

提供钻机钩载或者钻深或钻机功率，最好提供详细配置要求，无要求我方可提供参考配置

Tips For Inquiries

Rig type: Skid-mounted, truck-mounted, or trailer-mounted?

Hook load or drilling depth or rig power, better to submit rig specifications list, if not available, we may provide our specification list for your reference.

撬装钻机参数 Specifications of Skid-mounted Rig

| Type型号 | ZJ30 | ZJ40 | ZJ50 | ZJ70 | ZJ90 |
|---|---|---|---|---|-----------------------------|
| Technical Spec.技术参数 | | | | | |
| Drilling Depth(M) 钻深 | 3000 | 4000 | 5000 | 7000 | 9000 |
| Max. hook load (KN) 最大钩载 | 1700 | 2250 | 3150 | 4500 | 6750 |
| Power of Drawworks (HP) 绞车功率 | 750 | 1000 | 1500 | 2000 | 3000 |
| Drive & Transmission Mode 驱动和传动方式 | Mechanical (belt/chain) 机械(皮带/链条) | Mechanical/ Electric(AC/DC)/ Combined 机械/电动(交/直流)/复合驱动 | Mechanical/ Electric(AC/DC)/ Combined 机械/电动(交/直流)/复合驱动 | Mechanical/ Electric(AC/DC)/ Combined 机械/电动(交/直流)/复合驱动 | Electric(AC/DC) 电动(交/直流) |
| Mast Height(M) 井架高度 | 36/38 | 42 | 45 | 45/48 | 46/50 |
| Substructure Height (M) 底座高度 | 5 | 6.7 | 7.5 | 9 | 12 |
| Rotary Table 转盘 | ZP275 | ZP275 | ZP375 | ZP375 | ZP375 |
| Mud Pump 泥浆泵 | F/3NB-1000 | F/3NB-1300 | F/3NB-1600 | F/3NB-1600 | F/3NB-2200L |
| Power of Mud Pump (HP/KW) 泥浆泵功率 | 1000/735 | 1300/956 | 1600/1180 | 1600/1180 | 2200/1640 |
| Mud Handling Capacity(m ³) 泥浆处理能力(m ³) | 185 | 240 | 300 | 360 | 360 |
| Rope Diameter (mm) 大绳直径 | 29/32 | 32 | 35 | 38 | 45 |
| Wireline System 钢丝绳系 | 5x6 | 5x6 | 6x7 | 6x7 | 7x8 |
| Manifolds 节流管汇(直径×压力) | ∅ 103x35 | ∅ 103x40 | ∅ 103x70 | ∅ 103x70 | ∅ 140x80 |



撬装钻机
Skid Mounted Drilling Rig

更多详情，请扫码
Scan for more information

车载钻修机 Mobile Drilling & Workover Rigs



车载钻修机

车载钻机的动力、绞车、井架、游车系统及传动机构全部装载于自走式底盘上，对于提高钻井作业搬迁效率具有很大的优势。我公司可以提供的车载钻机钻深范围为1500米、2000米、3000米和4000米，最大静载荷从1350~2250kN，具有作业负荷大、性能可靠、越野能力强、移运方便，作业和搬迁费用低等特点，适应中浅井钻井作业，并可为高寒、沙漠、高原等地区设计开发特殊要求的产品。

Mobile Drilling & Workover Rigs

All its power system, drawworks, mast, traveling system and driving mechanism are all mounted on a self-propelled chassis for high efficient mobilization. BEYOND can provide mobile drilling rigs with drilling depth of 1500m, 2000m, 3000m and 4000m, and static hook load ranging from 1350kN to 2250kN. The mobile rigs feature as heavy working load, reliable performance, good cross-country capability, convenient and lower cost mobilization, which are suitable for the drilling operation of medium depth and shallow oil well on land, desert and plateau.

| 钻机型号 Rig Model | ZJ15CZ (XJ-550) | ZJ20CZ (XJ-650) | ZJ30CZ (XJ-750) | ZJ40CZ (XJ-850) |
|----------------|--|---|---|--|
| 序号 NO. | 名称 ITEM | 参数 Specification | 参数 Specification | 参数 Specification |
| 1 | 装机功率 Installed Power | 540HP (402KW) | 630HP (470KW) | 540 HP × 2 (402 KW × 2) |
| 2 | 最大钩载 Max.Hook Load | 1350kN | 1580kN | 1800kN |
| 4 | 绞车额定功率 Drawworks Rated Power | 550HP | 650HP | 750HP |
| 5 | 传动形式 Transmission Mode | 液力+机械 Hydraulic+Mechanical | 液力+机械 Hydraulic+Mechanical | 液力+机械 Hydraulic+Mechanical |
| 6 | 驱动形式 Drive Mode | 10 × 8 | 12 × 8 | 14 × 8 |
| 7 | 名义钻井深度 Nominal Drilling Depth (4 1/2" DP) | 1500m | 2000m | 3000m |
| 8 | 井架高度 Mast Height | 33m | 35m | 38m |
| 9 | 钻台面高度 Rig Floor Height | 4.5m | 4.5m | 6m |
| 10 | 钢丝绳直径 Wire rope Diameter | Φ 26mm | Φ 29mm | Φ 32mm |
| 11 | 液压系统 Hydraulic System | 14MPa | 14MPa | 21MPa |
| 12 | 气路系统 Pneumatic System | 0.8MPa | 0.8MPa | 0.8MPa |
| 13 | 游动系统 Travelling System | 5 × 4 | 5 × 4 | 5 × 4 |
| 14 | 运输尺寸 Overall Size | 19.37 × 3.05 × 4.49m (含井架Including Mast) 14.6 × 3.05 × 3.1m (不含井架Without Mast) | 20.1 × 3.05 × 4.49m (含井架Including Mast) 15.56 × 3.05 × 3.1m (不含井架Without Mast) | 23 × 3.2 × 4.8m (含井架Including Mast) 16.56 × 3.2 × 3.2m (不含井架Without Mast) |
| 15 | 总重 Total Mass | 52000 kg | 58000Kg | 73000 kg |



车载钻机
Mobile Drilling Rig

更多详情，请扫码
Scan for more information

水井钻机 Water Well Drilling Rig



水井钻机
Water Well Drilling Rig

更多详情，请扫码
Scan for more information



钻机配套 Drilling Rig Accessories

我们提供API认证的全套钻机组件，包括顶驱、绞车、天车、游车、大钩、水龙头及转盘等。
We can supply a full line of API certified drilling rig components including top-drive system, drawworks, crown block, traveling block, hook, swivel and rotary table etc.

询价须知 Tips For Inquiries

具体型号或参数，最好可提供该配件所属设备的铭牌

Specific Model or specifications, better to supply its nameplate picture



顶驱Top Drive System(TDS)



转盘Rotary Table




大钩Hook



绞车Drawworks



游车Travelling Block



天车Crown Block



水龙头Swivel



钻机配套
Drilling Rig Accessories

更多详情，请扫码
Scan for more information



往复泵及配件 Reciprocating Pump & Spares

彼岸石油核心产品:往复泵及配件

可根据客户不同使用工况，压力和排量等要求，为客户匹配最优往复泵方案；

*可提供石油钻井泵、水井钻井泵、穿越泵、高压柱塞/活塞泵、水泥泵等；

*可为泵配套动力及传动和控制装置；

*提供全系列泵配件，如液缸、缸套、活塞、阀；

BEYOND KEY PRODUCT: Reciprocating Pump & Spares

To offer the best pump solution for clients based on their different working application, pressure and displacement etc.

* Oil drilling mud pump, water drilling pump, HDD pump, high-pressure plunger/piston pump, cementing pump etc.

* To furnish the pump with power, transmission and control system

* Full range of pump spares like cylinders, liners, pistons and valves etc.

询价须知 Tips For Inquiries

告知使用工况，型号，无型号则提供排量、压力、介质、功率等信息

① Pump working application and model;

② if no model, then please provide displacement, pressure, medium and power etc.

F系列钻井泥浆泵 Emsco F Series Drilling Mud Pump

三缸往复泵，执行API标准，零配件国际通用

该系列泥浆泵严格按照美国石油学会API 7K标准在美国EMSCO F系列泥浆泵基础上设计、制造和生产，易损件国际通用，便于日常保养和维护。

Triplex reciprocating pump, API Standard, Expendable Spares Internationally Compatible

This series of mud pumps are designed and produced on the basis of American EMSCO F series pump in accordance with API-7K standard. All of its expendable spares are internationally compatible so easy for maintenance.



F泥浆泵
F Series Mud Pump

更多详情，请扫码
Scan for more information



F 系列钻井泥浆泵参数总表

Specifications of Emsco F series Drilling Mud Pump

| 型号 Model | F-500 | F-800 | F-1000 | F-1300 | F-1600 | F-1600HL |
|--------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 输入功率 Power Rating | 500HP (373kw) | 800HP (597kw) | 1000HP (746kw) | 1300HP (969kw) | 1600HP (1193kw) | 1600HP (1193kw) |
| 额定转速 Rated Stroke | 165SPM | 150SPM | 140SPM | 120SPM | 120SPM | 120SPM |
| 冲程长度 Stroke Length | 7.5" /190.5mm | 9" /228.6mm | 10" /254mm | 12" /305mm | 12" /305mm | 12" /305mm |
| 减速比 Gear Ratio | 4.286 | 4.185 | 4.207 | 4.206 | 4.206 | 4.206 |
| 阀腔 Valve Size | API5# | API6# | API6# | API7# | API7# | API7# |
| 最大缸套尺寸 Max. Liner Size | 6-3/4" /170mm | 6-3/4" /170mm | 6-3/4" /170mm | 7" /180mm | 7" /180mm | 7" /180mm |
| 最大压力 Max. Pressure | 3945psi (27.2Mpa) | 5000psi (35Mpa) | 5000psi (35Mpa) | 5000psi (35Mpa) | 5000psi (35Mpa) | 7500psi (52Mpa) |
| 最大排量 Max. Displacement | 565GPM (35.67L/S) | 617GPM (38.92L/S) | 639GPM (40.36L/S) | 737GPM (46.54L/S) | 737GPM (46.54L/S) | 737GPM (46.54L/S) |
| 吸入口直径 Inlet Dia. | 8" /203mm | 10" /254mm | 12" /305mm | 12" /305mm | 12" /305mm | 12" /305mm |
| 排出口直径 Outlet Dia. | 4" /101.6mm | 5-1/8" /130.3mm |
| 外形尺寸(长×宽×高) Dimension L*W*H | 3658*2709*2231mm | 3963*3025*2410mm | 4267*3167*2580mm | 4617*3260*2600mm | 4615*3276*2688mm | 5200*3276*2688mm |
| 主机重量 Weight | 9770kg | 14500kg | 18790kg | 24572kg | 24791kg | 28570kg |

3NB系列钻井泥浆泵 3NB Series Drilling Mud Pump

三缸往复泵，非API标准，需从中国采购配件

3NB系列钻井泥浆泵按照中国石油工业部SY5138标准生产，主要用于中国国内钻井市场，价格与F系列泥浆泵相比，比较有优势。

Triplex reciprocating pump, Non-API Standard, Spares Only Available From China

3NB series mud pumps are manufactured according to SY5138 standard (China Petroleum Industrial Ministry Standard). This series mud pumps are widely used in oilfields and other industrial mining enterprises for well drilling and well repairing in China. Its price is much more competitive comparing to EMSCO F series drilling pump.



3NB泥浆泵
3NB Series Mud Pump

更多详情，请扫码
Scan for more information



3NB系列钻井泥浆泵参数总表

Specifications of 3NB series mud pump

| 3NB350 | 3NB500 | 3NB600 | 3NB800 | 3NB1000 | 3NB1300 | 3NB1600 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 350 HP (257KW) | 500HP (368KW) | 600 HP (441KW) | 800HP (588KW) | 1000 HP (735KW) | 1300 HP (955KW) | 1600HP (1176KW) |
| 130SPM | 120SPM | 135SPM | 130SPM | 125SPM | 120SPM | 120SPM |
| 180mm | 180mm | 196mm | 273mm | 273mm | 305mm | 305mm |
| 4.483 | 4.696 | 4.696 | 3.482 | 3.482 | 3.657 | 3.657 |
| 5# | 5# | 5# | 6# | 6# | 6#/7# | 7# |
| 160mm | 170mm | 180mm | 180mm | 180mm | 180mm | 180mm |
| 4496psi (31Mpa) | 5000psi (35Mpa) | 5076psi (35Mpa) |
| 373GPM (23.51L/S) | 388GPM (24.50L/S) | 533GPM (33.65L/S) | 715GPM (45.13L/S) | 688GPM (43.40L/S) | 822GPM (51.86L/S) | 822GPM (51.86L/S) |
| 203mm | 203mm | 203mm | 254mm | 254mm | 305mm | 309mm |
| 76mm | 83mm | 83mm | 101mm | 101mm | 101mm | 128mm |
| 3600*2080*2015 mm | 3600*2230*2080 mm | 3600*2230*2080 mm | 3900*2155*2052 mm | 4600*2240*2052 mm | 4300*2450*2513 mm | 5500*2822*2660 mm |
| 8058kg | 9484kg | 11000kg | 17200kg | 18000kg | 21500kg | 27100kg |

卧式往复活塞泵-BW系列

Horizontal reciprocating piston pump-BW Series


BW系列泥浆泵相对于3NB和F系列泥浆泵，压力小，但排量大，较适用于地质、地下水、地热和浅层石油钻探的需要。也可用于矿山污水和远距离供水。该泵能耗小，操作灵活，质量高，耐用，可分解性好，易于搬迁。

BW series mud pump is generally lower pressure but higher displacement comparing to 3NB and F series mud pump. It is more suitable for geology, groundwater, geothermal and shallow oil drilling. It can also be used for mine sewage and long-distance water delivery. The pump consumes less energy, flexible to operate, high quality and durability, good decomposability, easy to relocate.



BW泵
BW Series Mud Pump
更多详情，请扫码
Scan for more information

| 型号 Model | 功率 Power(kw) | 高泵速压力及排量 Pressure & Displacement @High-speed | 低泵速压力及排量 Pressure & Displacement @Low-speed |
|-------------|-----------------|---|--|
| BW150 | 7.5 | 150L/min@1.8Mpa@222SPM | 38L/min@7Mpa@57SPM |
| BW160/10 | 11 | 160L/min@2.5Mpa@200SPM | 44L/min@10Mpa@55SPM |
| BW250 | 15 | 250L/min@2.5Mpa@200SPM | 52L/min@6Mpa@42SPM |
| BW320 | 30 | 320L/min@2.2Mpa@214SPM | 118L/min@10Mpa@78SPM |
| BW350/13 | 45 | 350L/min@7Mpa@235SPM | 134L/min@13Mpa@90SPM |
| BW450 | 18.5 | 450L/min@1.2Mpa@170SPM | 350L/min@2.0Mpa@115SPM |
| BW500/10 | 45 | 500L/min@3.0Mpa@232SPM | 160L/min@10Mpa@76SPM |
| BW600/10 | 55 | 600L/min@3.5Mpa@232SPM | 195L/min@10Mpa@76SPM |
| BW750 | 45 | 750L/min@3.0Mpa@240SPM | 235L/min@6Mpa@78SPM |
| BW850/2 | 37 | 850L/min@2.0Mpa@82SPM | 600L/min@3.0Mpa@58SPM |
| BW850/5 | 90 | 850L/min@5.0Mpa@140SPM | 350L/min@8.0Mpa@95SPM |
| BW1200/7 | 185 | 1200L/min@7.0Mpa@160SPM | 1000L/min@8.0Mpa@150SPM |



高压往复泵

High-pressure Reciprocating Pump

高压柱塞/活塞泵（压力范围：2-100Mpa），设备使用范围广，适用介质多；可根据不同工况和介质进行设计：油田注水泵、CO2注入泵、注聚泵、清洗泵、增压泵等；如上各类泵均可进行撬装化成套，配备电机/柴油机及控制系统；并可配套泵房，泵房内配备检测控制设备，可进行数据采集、数据远传、智能控制和实时监控，实现无人值守。

High-pressure plunger or piston pump (pressure ranging from 2 to 100Mpa), variable working application and working medium;

Can be designed as per different working condition and medium: oilfield water injection, CO2 injection, polymer injection, water cleaning, booster etc..

All pumps can be furnished with motor/diesel engine and control system. Also container house can be installed for the pump, with functions of data acquisition, data transfer, intelligent control and real-time monitoring to save man-power.

| 序号 No | 型号 Model | 功率 Power (kw) | 排量 Displacement (m ³ /h) | 压力 Pressure (Mpa) |
|--|--------------------------------------|------------------|--|----------------------|
| 1 | 注水泵 Water Injection Pump | | | |
| 1.1 | 3ZB100 | 75 | 5.2 38 | 40 5.5 |
| 1.2 | 3ZB127 | 110 | 7.7 38 | 40 8.1 |
| 1.3 | 5ZB127 | 160 | 11.2 63 | 40 7.1 |
| 1.4 | 3ZB175 | 185 | 40 10.5 | 12.5 50 |
| 1.5 | 5ZB175 | 315 | 15 60 | 55 14.8 |
| 2 | 油气混输泵 Oil & Gas Multiphase Pump | | | |
| 2.1 | 3HS100 | 45 | 30 | 3月6日 |
| 2.2 | 3HS175 | 90 | 80 | 3月6日 |
| 2.3 | 5HS175 | 132 | 130 | 3月6日 |
| 2.4 | 3HS178 | 185 | 170 | 3月6日 |
| 备注：进口压力0.1-1.0 Mpa Note: Inlet Pressure 0.1-1.0 Mpa | | | | |
| 3 | 二氧化碳管输增压泵 CO2 Piping Booster Pump | | | |
| 3.1 | 3GS-2/35 | 30 | 2 | 40 |
| 3.2 | 3GS-4/35 | 55 | 4 | 40 |
| 3.3 | 3GS-8/35 | 110 | 8 | 40 |
| 3.4 | 3GS-12/35 | 160 | 12 | 40 |
| 备注：1) 进口压力范围：2-15Mpa; 2) 最大增压值：35Mpa; Note: 1) Inlet Pressure Range: 2-15Mpa; 2) Max. Boosting Pressure: 35Mpa; | | | | |



高压往复泵
High Pressure Reciprocating Pump
更多详情，请扫码
Scan for more information

定向穿越泵 HDD (Trenchless) Pump


我们提供的定向穿越泵是按照石油钻井泥浆泵设计规范与API标准优化后研发的，广泛运用于非开挖、煤层气钻探、地热注水等工艺。该泵可安装不同尺寸的缸套及活塞，以满足不同的工况。

Our HDD Pumps are developed according to the design specifications and API standards of oil drilling mud pump, which is widely used in trenchless, CBM drilling, geothermal water injection and other applications. The pump can be equipped with different cylinder liner and piston, so as to adapt to various working conditions.



定向穿越泵
HDD (Trenchless) Pump

更多详情，请扫码
Scan for more information



| 泵型号 Pump Model | 3TP-1800 | 3TP-2800 |
|-------------------------------------|---|---|
| 型式 Type | 三缸活塞泵 Triplex Piston Pump | 三缸活塞泵 Triplex Piston Pump |
| 润滑方式 Lubrication Method | 压力强制润滑 Forced Lubrication | 压力强制润滑 Forced Lubrication |
| 额定冲次 (SPM) | 140 | 140 |
| 最大排量 Max Displacement | 1800 L/min (475GPM) | 2800 L/min (740GPM) |
| 最大压力 Max. Pressure | 9 Mpa/1300PSI | 9 Mpa/1300PSI |
| 冲程 Stroke | 152.4mm/6inch | 177.8mm/7inch |
| 配套缸径 Installed Liner Size | 190mm (7 1/2inch) | 220 (8 1/2inch) |
| 输入功率 Input Power | 140kw (187HP) | 300kw (400HP) |
| 排出管径 Outlet Pipe Dia. | 89 (3 1/2inch) | 89 (3 1/2inch) |
| 吸入管径 Inlet Pipe Dia. | 219 (8 1/2inch) | 273 (10 5/8inch) |
| 重量 (千克) Weight (KG) | 4800kg (10582lbs) | 7800kg (17196lbs) |
| 外形尺寸(长x宽x高) Dimension mm (LxWxH) | 2674x2000x2042mm (802x600x612ft) | 2300x1729x1700mm (690x519x510ft) |
| 可配发动机 Available Diesel Engine | 潍柴 (Weichai) WP7G300E300, 220kW/2300rpm, 1200N.m, 1600 - 1800rpm | 潍柴 (Weichai) WP12G480E310, 353kW/2100rpm, 2100N.m, 1200 - 1500rpm |
| 可配变速箱 Available Transmission | 法士特手动变速箱2600rpm, 最大输入扭矩 1800N.m, 7档位 "FAST" Manual Gear Box, 2600rpm, 1800N.m, 7-shift | 法士特手动变速箱2600rpm, 最大输入扭矩 2600N.m, 9档位 "FAST" Manual Gear Box, 2600rpm, 2600N.m, 9-shift |

泵配件 Pump Spares

我们可提供多种品牌泥浆泵的配件，如EMSCO, BOMCO, NOV, GD, HH等。
We can supply spares for various brand of mud pumps, like EMSO, BOMCO, NOV, GD, and HH etc.



泵配件
Mud Pump Spares

更多详情，请扫码
Scan for more information

泥浆泵组 Mud Pump Packages

我们可按照客户要求设计制造泥浆泵组。

We can design and cutomize mud pump packages at customers' different requirements.

泥浆泵组选型搭配方案

柴油机驱动下的传动搭配

- 1) 柴油机+气胎离合器+齿轮箱+皮带轮+ V型带+泵
- 2) 柴油机+万向轴+液力耦合器+万向轴+泵;
- 3) 柴油机+液力变矩器+万向轴+升距箱+万向轴+泵;
- 4) 柴油机+雷斯达变速箱+万向轴+泵;

电机(AC/DC电机)驱动下的传动搭配

- 1) 电机+皮带轮+皮带+泵;
- 2) 电机+链轮+链条箱+链条+泵;

DIFFERENT TRANSMISSION TYPE FOR MUD PUMP

Transmission Option @ Diesel drive:

- 1) Diesel Engine+ Air Clutch+Gear Box+Belt Pulley +V-belts+pump; ·
- 2) Diesel Engine+Cardan Shaft + Hydraulic Coupler+ Cardan shaft +Pump;
- 3) Diesel Engine+ Hydraulic Torque Converter+Cardan Shaft +Pump;
- 4) Diesel Engine+ Reastar Gear Box+ Cardan Shaft + Pump;

Transmission Option @ Electric Motor(AC/DC motors) drive:

- 1) Electric Motor+Small Belt Pulley Assy. + Belts+Big Pulley;
- 2) Electric Motor+Chain Wheels + Chains;



更多详情, 请扫码

Scan for more information


泥浆泵组
Mud Pump Package




柴油机驱动高压清洗柱塞泵
Diesel Driven high-pressure
Water-cleaning Plunger Pump



电机泵组
Electric Motor Driven Pump Package



柴油机雷斯达变速箱泵组
Mud Pump c/w Cummings Engine +Reastar Gear



液力耦合器泵组
Mud Pump c/w diesel engine+hydraulic coupler



法士特变速箱穿越泵
Trenchless Pump by FAST transmission box



电机驱动BW泵
Electric motor driven BW Pump

固控设备及配件 Solid Control Equipment & Spares

我们可以依照客户要求为各类钻机提供固控系统及各种固控设备及易损件。

We can supply Solid Control System, Equipment and spares for all range of drilling rigs as per customer requirement.

- 振动筛 Shale Shaker
- 除砂器和除泥器 Desander & Desilter
- 真空除气器 Vacuum Degasser
- 离心机 Centrifuge
- 泥浆搅拌器 Mud Agitator
- 射浆混流器 Jet Mud Mixer
- 振动筛筛网等配件 Shale Shaker Screens etc



固控系统
Solid Control System

更多详情，请扫码
Scan for more information



振动筛 Shale Shaker



离心机 Centrifuge



除砂器 Desander



真空除气器 Vacuum Degasser



除泥器 Desilter



泥浆搅拌器 Mud Agitator



射浆混流器 Jet Mud Mixer

井口工具 Wellhead Tools

井控设备 Well Control Equipment



吊钳
Manual Tongs



液压大钳
Hydraulic power tong



吊环
Elevator Link



DDZ、DDZ(T)系列对开式吊卡
DDZ、DDZ(T) Center Latch Elevators



CDZ系列钻杆吊卡
CDZ Drill Pipe Elevators



DD系列对开式吊卡
DD Center Latch Elevators



环形防喷器
Annular BOP



手动平板阀
Manual Gate Valve




CD系列吊卡
CD Elevators



DD(TA)油管钻卡
DD(TA)tubing elevator



BD系列油管吊卡
BD tubing elevator



节流管汇
Choke Manifold



双闸板防喷器及钻井四通
Double-ram BOP & Drilling Spool



安全卡瓦
Safety Clamps



钻杆卡瓦
Drill Rod Slip Series



DCS型钻铤卡瓦
DCS type drill collar slips



套管头
Casing Head



油管头四通
Tubing Head Spool

询价须知 Tips For Inquiries

型号/吨位/夹持管径等 Model/Load(capacity)/Pipe Diameter(size)



井口工具
Wellhead Tools

更多详情, 请扫码
Scan for more information

询价须知 Tips For Inquiries

①防喷器 BOP

型号/通径/压力

Model , diameter , pressure

②防喷器配件 BOP Spares

Original Manufacturer or Nameplate is required.



井控设备
Well Control Equipment(BOP)

更多详情, 请扫码
Scan for more information

钻具 Drilling Tools

彼岸石油可提供如下钻井工具产品:

1. 钻柱: 方钻杆、钻杆、加重钻杆、钻铤、内防喷器等
2. 石油管材: API 5CT 全系列油套管及API 5L水井用ERW管;
3. 井下工具: 螺杆钻具、震击器、稳定器、各种打捞工具等;
4. 抽油工具: API-11B项下抽油杆、抽油杆接箍、短杆、光杆等;
5. 钻头产品: 油田用钻头, 水井钻井、穿越钻井等地质工程钻头;

BEYOND can supply below drilling tool product:


1. Drill String: Kelly pipe, drill pipe, HWDP, Drill Collar, IBOP etc.;
2. Oil Tubular: API-5CT full series of casing & tubing pipe, API-5L ERW pipe for water wells;
3. Downhole Tools: Mud Motor, Drilling Jar, Stabilizer, various fishing tools etc.;
4. Oil Sucker Tools: API-11B sucker rods, sucker rod couplings, pony rods, polished rod etc.;
5. Drill Bit Product: Oilfield drilling bits like tricone and PDC, engineering bit for water well & trenchless drilling;



钻杆 Drilling Pipe



抽油杆 Sucker Rod



水井用ERW管 ERW Pipe for water wells



油套管 Oil casing & Tubing pipe



牙轮钻头 Roller Bit



PDC钻头 PDC Drilling Bit



套管刮削器 casing scraper



钻铤 Drill Collar



开孔器 Hole Opener



稳定器 Stabilizer



更多详情, 请扫码
Scan for more information

钻具
Drilling Tool

公司代表访问哈萨克国家油气公司阿特劳炼油厂
Visit to Atyrau Refinery, KazMunayGas



俄罗斯客户考察水泥车供应商
Cementing Truck factory inspection with Russian Client



泥浆泵海外销售独家代理签约仪式
Mud Pump Overseas Exclusive Distributor Signing Ceremony



拜访阿塞拜疆国家石油公司
Visit to SOCAR AQS



彼岸石油视客户为合作伙伴， 共创长期合作价值。

BEYOND always treat our clients as our cooperating partners and aim for long-term cooperation values.



2019年12月带哈萨克客户考察供应商工厂
Factory Inspection with our Kazakhshtan Client in Dec., 2019



与国内供应商进行合作交流
Cooperation Meetings with our Suppliers



2020年4月阿塞拜疆拜访客户
Visit to Client in Azerbaijan in April, 2020




与俄罗斯客户进行技术洽谈
Technical Meeting with Russian Clients

彼岸产品销售网络 BEYOND Products Sales Network



专业服务，优质产品，快速交货，外加有竞争力的价格，彼岸石油已在众多市场建立起了良好的声誉。公司产品已覆盖美国、委内瑞拉、阿根廷、印度、哈萨克斯坦、乌兹别克斯坦、阿塞拜疆、罗马尼亚、埃及等 30 多个国家和地区。

Thanks to our professional services, quality products, fast delivery and competitive prices, we have built up a very good reputation among our customers. Our products are serving for customers from more than 30 countries, like USA, Venezuela, Argentina, India, Kazakhstan, Uzbekistan, Azerbaijan, Romania and Egypt etc..



BEYOND @ Made-In-China



BEYOND@YouTube



BEYOND @ Alibaba Shop A



BEYOND @ Alibaba Shop B



1. 固控设备发运阿塞拜疆 Solid Control Equipment loaded for Azerbaijan
 2. 1万支抽油杆装运委内瑞拉 10000 pcs of sucker rod loaded for Venezuela
 3. 阿塞拜疆现场服务 Site Service in Baku, Azerbaijan




14. 埃及水井客户采购的江汉钻头 Kingdream Drilling Bit for Egypt Water Drilling
 15. 雷斯达变速箱印度工作现场 Reastar Gear Box Working in India
 16. XJ-350 修井机发往印度 XJ-350 Workover Rig Shipped to India
 17. F-500 电机泵组发运阿塞拜疆 Electric F-500 Mud Pump Loaded for Azerbaijan



4. 阿根廷 ZJ-50J 钻机服务现场 Service for Drilling Rig ZJ-50J in Argentina
 5. 阿根廷 XJ-450 修井机进行路试 XJ-450 Workover Rig Road Running Test ordered by Argentina Client
 6. 节流管汇发货哈萨克斯坦 Choke Manifolds Shipped for Kazakhshtan
 7. F-500 机泵组蒙古配套水井钻机 F-500 Mud Pump Working in Mongolia Water Drilling Site



18. 罗马尼亚客户订购的雷斯达变速箱 Reastar Gear box for Romania
 19. F23-35 防喷组发往阿塞拜疆 9" x 5K BOP shipped for Azerbaijan
 20. 固控设备准备发货 Solid Control Equipment Ready to ship
 21. 阿塞拜疆双 F-800 电机泵组安装调试 Commissioning for Double F-800 Electric pump in Azerbaijan



8. 阿塞拜疆客户预定 F-1000 泵备好待发 F-1000 Mud Pump Ready to ship for Azerbaijan Client
 9. 印度 XJ-350 修井机港口装运 XJ-350 Workover Rig Loaded for India
 10. 阿塞拜疆电机泵组及电控工作现场 Electric Mud Pump Package & Control in Azerbaijan



22. 罗马尼亚客户采购振动筛准备发货 Shale Shaker ready to ship for Romania
 23. 电控房现场服务 Site Service for VFD control house
 24. 格鲁吉亚 F-1000 泵现场服务 Site service for F-1000 Mud Pump in Georgia
 25. F-1300 泥浆泵装运发往罗马尼亚 F-1300 Mud Pump loaded for Romania



11. 乌兹别克斯坦泥浆泵配件及振动筛筛网发货 Mud Pump Spares & Shaker Screens Shipment to Uzbekistan
 12. 委内瑞拉 3300 吨套管天津港装船 3300 tons of Casing pipe loaded for Venezuela
 13. 刚果金 760 吨套管发货 760 ton of Casing pipe shipment for Congo, DRC client



26. 刚果金 F35-35 防喷器组发货 BOP 13 5/8" x 5K Loaded for Congo DRC
 27. 高压冲洗泵准备发往沙特客户 Water Cleaning Pump Shipped for KSA
 28. 阿塞拜疆电控房调试结束 Successful Commissioning for VFD System
 29. 阿塞拜疆客户来访考察泥浆泵 Client Inpection for Mud Pump Factory